

著者名	題名	雑誌名	年	巻(号)	ページ
Yamasaki S, Hashimoto Y, Terai S, Takigami J, Takahashi S, Nakamura H.	Proposed Referential Index to Resect Femoroacetabular Cam-Type Impingement During Arthroscopy Using a Cadaveric Hip Model.	Arthroscopy	2015	31(6)	1069–76
Tomihara T, Hashimoto Y, Taniuchi M, Shimada N.	Relationship between femoral tunnel location and graft bending angle in outside-in and transportal technique for ACL double bundle reconstruction in 3D-CT study.	Arch Orthop Trauma Surg.	2015	135(6)	839–46
Ohta Y, Okabe T, Larmour C, Di Rocco A, Maijenburg MW, Phillips A, Speck NA, Wakitani S, Nakamura T, Yamada Y, Enomoto-Iwamoto M, Pacifici M, Iwamoto M.	Articular Cartilage Endurance and Resistance to Osteoarthritic Changes Require Transcription Factor Erg.	Arthritis Rheumatol.	2015	67(10)	2679–90
Nakamura Y, Kikugawa S, Seki S, Takahata M, Iwasaki N, Terai H, Matsubara M, Fujioka F, Inagaki H, Kobayashi T, Kimura T, Kurahashi H, Kato H.	PCSK5 mutation in a patient with the VACTERL association.	BMC Res Notes.	2015	Jun 9;8	228
Tachibana D, Koyama M, Saito M, Hoshi M, Imai R, Kamada T.	Heavy ion radiotherapy for recurrent metastatic lung tumor during pregnancy.	Eur J Obstet Gynecol Reprod Biol.	2015	184	127
Xiong C, Suzuki A, Daubs MD, Scott T, Phan K, Wang J.	The evaluation of cervical spine mobility without significant spondylosis by kMRI.	Eur Spine J.	2015	24(12)	2799–806
Takigami J, Hashimoto Y, Yamasaki S, Terai S, Nakamura H.	Direct bone-to-bone integration between recombinant human bone morphogenetic protein-2-injected tendon graft and tunnel wall in an anterior cruciate ligament	Int Orthop.	2015	39(7)	1441–7
Takahashi S, Fukushima W, Yamamoto T, Iwamoto Y, Kubo T, Sugano N, Hirota Y; Japanese Sentinel Monitoring Study Group for Idiopathic Osteonecrosis of the Femoral	Temporal trends in the characteristics of newly diagnosed nontraumatic osteonecrosis of the femoral head from 1997 to 2011: A hospital-based sentinel monitoring system in	J Epidemiol.	2015	25(6)	437–44
Hata K, Minoda Y, Ikebuchi M, Mizokawa S, Ohta Y, Miyazaki N, Miyake Y, Nakamura H.	In vivo wear particles of remelted highly crosslinked polyethylene after total hip arthroplasty: report of four	J Mater Sci Mater Med.	2015	26(3)	133
Dohzono S, Toyoda H, Matsumoto T, Suzuki A, Terai H, Nakamura H.	The influence of preoperative spinal sagittal balance on clinical outcomes after microendoscopic laminotomy in patients with lumbar spinal canal stenosis.	J Neurosurg Spine.	2015	23(1)	49–54
Hayashi T, Daubs MD, Suzuki A, Scott TP, Phan KH, Ruangchainikom M, Takahashi S, Shiba K, Wang JC.	Motion characteristics and related factors of Modic changes in the lumbar spine.	J Neurosurg Spine.	2015	22(5)	511–7
Uemura T, Yagi H, Okada M, Yokoi T, Shintani K, Nakamura H.	Elbow septic arthritis associated with pediatric acute leukemia: a case report and literature review.	Eklem Hastalik Cerrahisi.	2015	26(3)	171–174
Minoda Y, Nakagawa S, Sugama R, Ikawa T, Noguchi T, Hirakawa M.	Midflexion laxity after implantation was influenced by the joint gap balance before implantation in TKA.	J Arthroplasty.	2015	30(5)	762–5
Okada M, Kamano M, Uemura T, Ikeda M, Nakamura H.	Pedicled Adipose Tissue for Treatment of Chronic Digital Osteomyelitis	J Hand Surg Am.	2015	40(4)	677–84
Tamai K, Aono M, Kitano T, Nakagawa K, Kazuki K.	Identifying key indicators for the clinical diagnosis of Bacille Calmette-Guérin Tokyo-172 strain osteomyelitis: two case reports.	J Orthop Sci.	2015	20(1)	232–6
Yano K, Yasuda H, Takaoka K, Takahashi M, Nakamura H, Imai Y, Wakitani S.	Fate, origin and roles of cells within free bone grafts.	J Orthop Sci.	2015	20(2)	390–6
Okano T, Koike T, Tada M, Sugioka Y, Mamoto K, Inui K, Okihana H, Ebihara K, Nakao K, Nakamura H.	Hyperleptinemia suppresses aggravation of arthritis of collagen-antibody-induced arthritis in mice.	J Orthop Sci.	2015	20(6)	1106–13

Ibrahim M, Suzuki A, Yamada K, Takahashi S, Yasuda H, Dohzono S, Koike T, Nakamura H.	The relationship between cervical and lumbar spine lesions in rheumatoid arthritis with a focus on endplate erosion.	J Spinal Disord Tech.	2015	28(3)	E154–60
Minoda Y, Iwaki H, Ikebuchi M, Yoshida T, Mizokawa S, Itokazu M, Nakamura H.	Mobile-bearing prosthesis and intraoperative gap balancing are not predictors of superior knee flexion: a prospective randomized study.	Knee Surg Sports Traumatol Arthrosc.	2015	23(7)	1986–92
Yamada K, Suzuki A, Takahashi S, Yasuda H, Koike T, Nakamura H.	Severe low back pain in patients with rheumatoid arthritis is associated with Disease Activity Score but not with radiological findings on plain X-rays.	Mod Rheumatol.	2015	25(1)	56–61
Tada M, Koike T, Okano T, Sugioka Y, Wakitani S, Mamoto K, Inui K, Nakamura H.	Preference of surgical procedure for the forefoot deformity in the rheumatoid arthritis patients – A prospective, randomized, internal controlled study.	Mod Rheumatol.	2015	25(3)	362–6
Matsumoto Y, Sugioka Y, Tada M, Okano T, Mamoto K, Inui K, Habu D, Koike T.	Relationships between serum 25-hydroxycalciferol, vitamin D intake and disease activity in patients with rheumatoid arthritis – TOMORROW study.	Mod Rheumatol.	2015	25(2)	246–50
Hoshi M, Takami M, Ieguchi M, Aono M, Takada J, Oebisu N, Iwai T, Nakamura H.	Fertility following treatment of high-grade malignant bone and soft tissue tumors in young adults.	Mol Clin Oncol.	2015	3(2)	367–74
Hoshi M, Oebisu N, Takada J, Iwai T, Nakamura H.	Case report demonstrating effectiveness of sorafenib in multiple lung and bone metastases of renal cell carcinoma.	Oncol Lett.	2015	9(3)	1409–11
Iwai T, Hoshi M, Takada J, Oebisu N, Aono M, Takami M, Ieguchi M, Nakamura H	Prognostic factors for elderly patients with primary malignant bone and soft tissue tumors	Oncol Lett	2015	10(3)	1799–1804
Takami M, Ieguchi M, Aono M, Hoshi M, Takada J, Oebisu N, Iwai T.	Flail hip joint following periacetabular tumor resection of the pelvis using upper surface of the femoral neck as a saddle: A case report.	Oncol Lett.,	2015	10(6)	3529–31
Uemura T, Okada M, Yokoi T, Shintani K, Nakamura H.	Successful Bone Healing of Nonunion After Ulnar Shortening Osteotomy for Smokers Treated With	Orthopedics.	2015	38(8)	e733–737
Konishi E, Nakashima Y, Mano M, Tomita Y, Nagasaki I, Kubo T, Araki N, Haga H, Toguchida J, Ueda T, Sakuma T, Imahori M, Morii E, Yoshikawa H, Tsukamoto Y, Futani H, Wakasa K, Hoshi M, Hamada S, Takeshita H, Inoue T, Aono M, Kawabata K, Murata H, Katsura K, Urata Y, Ueda	Primary central chondrosarcoma of long bone, limb girdle and trunk: Analysis of 174 cases by numerical scoring on histology.	Pathol Int.	2015	65(9)	468–75
Yamasaki S, Hashimoto Y, Terai S, Takigami J, Mera H, Nakamura H, Wakitani S.	Effect of the direct injection of bone marrow mesenchymal stem cells in hyaluronic acid and bone marrow stimulation to treat chondral defects in the canine model	Regenerative Therapy	2015	2	42–48
Tamai K, Terai H, Toyoda H, Suzuki A, Yasuda H, Dozono S, Nakamura H.	Which is the best schedule of autologous blood storage for preoperative adolescent idiopathic scoliosis patients?	Scoliosis.	2015	Feb 11;10	S11
Terai H, Toyoda H, Suzuki A, Dozono S, Yasuda H, Tamai K, Nakamura H.	A new corrective technique for adolescent idiopathic scoliosis: convex manipulation using 6.35 mm diameter pure titanium rod followed by concave fixation using 6.35 mm diameter titanium alloy.	Scoliosis.	2015	Feb 11;10	S14
Namikawa T, Matsumura A, Kato M, Hayashi K, Nakamura H.	Radiological assessment of shoulder balance following posterior spinal fusion for thoracic adolescent idiopathic	Scoliosis.	2015	10(Suppl 2)	S18–22

Scott TP, Phan KH, Tian H, Suzuki A, Montgomery SR, Johnson JS, Atti E, Tetratis S, Pereira RC, Wang JC, <u>Daubs MD, Stappenbeck F, Parhami F.</u>	Comparison of a Novel Oxysterol Molecule and rhBMP2 Fusion Rates in a Rabbit Posterolateral Lumbar Spine Model.	Spine J.	2015	15(4)	733-42
---	--	----------	------	-------	--------

Hata K, Minoda Y, Ikebuchi M, Mizokawa S, Ohta Y, Miyazaki N, Miyake Y, Nakamura H. In vivo wear particles of remelted highly crosslinked polyethylene after total hip arthroplasty: report of four Cases. *J Mater Sci Mater Med.* 2015;26:133