

著者名	題名	雑誌名	年	巻 (号)	ページ
Yamasaki S, Hashimoto Y, Takigami J, Takahashi S, Nakamura H.	Risk Factors Associated With Knee Joint Degeneration After Arthroscopic Reshaping for Juvenile Discoid Lateral Meniscus.	Am J Sports Med	2017	45(3)	570-577
Yamamura K, Minoda Y, Mizokawa S, Ohta Y, Sugama R, Nakamura S, Ueyama H, Nakamura H.	Novel alignment measurement technique for total knee arthroplasty using patient specific instrumentation.	Arch Orthop Trauma Surg	2017	137(3)	401-407
Toyoda H, Terai H, MD, Yamada K, Suzuki A, Dohzono S, Matsumoto T, Nakamura H.	Prevalence of Diffuse Idiopathic Skeletal Hyperostosis in Patients with Spinal Disorders	Asian Spine J 2017;	2017	11(1)	63-70
Hoshi M, Oebisu N, Ieguchi M, Ban Y, Takami M, Nakamura H.	Clinical features of soft tissue sarcoma presenting intra-tumour haematoma: case series and review of the literature.	Int Orthop	2017	41(1)	203-209
Hidaka N, Uemura T, Nakamura H.	Successful conservative treatment outcomes and clinical characteristics of congenital hypoplasia of the extensor tendon central slip.	J Hand Surg Eur	2017	42(3)	295-300
Hayashi K, Toyoda H, Terai H, Suzuki A, Hoshino M, Tamai K, Ohyama S, Nakamura H.	Cervical lordotic alignment following posterior spinal fusion for adolescent idiopathic scoliosis: reciprocal changes and risk factors for malalignment.	J Neurosurg Pediatr. 2017 Jan .	2017	27	1月8日
Yamasaki S, Hashimoto Y, Takigami J, Terai S, Takahashi M, Wakitani S, Nakamura H.	Circulating nucleated peripheral blood cells contribute to early-phase meniscal healing.	J Tissue Eng Regen Med	2017	11(3)	609-617
Takigami J, Hashimoto Y, Yamasaki S, Terai S, Nakamura H.	A case of asymptomatic bilateral massive pulmonary embolism after arthroscopic multiple knee ligament reconstruction.	Knee Surg Sports Traumatol Arthrosc	2017	25(1)	260-262
Matsumoto, Y., Sugioka, Y., Tada, M., Okano, T., Mamoto, K., Inui, K., Habu, D., Koike, T.	Monounsaturated fatty acids might be key factors in the Mediterranean diet that suppress rheumatoid arthritis disease activity: The TOMORROW study.	Clin Nutr 10.1016/j.clnu.2017.02.011	2017		
Okano T, Inui K, Tada M, Sugioka Y, Mamoto K, Wakitani S, Koike T, Nakamura H.	Loss of lean body mass affects low bone mineral density in patients with rheumatoid arthritis - results from the TOMORROW study.	Mod Rheumatol 10.1080/14397595.2017.1289645	2017		
Dohzono S, Toyoda H, Matsumura A, Terai H, Suzuki A, Nakamura H.	Clinical and Radiological Outcomes after Microscopic Bilateral Decompression via a Unilateral Approach for Degenerative Lumbar Disease: Minimum 5-Year Follow-Up.	Asian Spine J.	2017	11(2)	285-93
Matsumoto Y, Sugioka Y, Tada M, Okano T, Mamoto K, Inui K, Habu D, Koike T.	Monounsaturated fatty acids might be key factors in the Mediterranean diet that suppress rheumatoid arthritis disease activity: The TOMORROW study.	Clin Nutr.	2017	in press	
Tamai K, Kato M, Konishi S, Matsumura A, Hayashi K, Nakamura H.	Facet Effusion without Radiographic Instability Has No Effect on the Outcome of Minimally Invasive Decompression Surgery	Global Spine J	2017	7(1)	21-27
Okano T, Inui K, Sugioka Y, Sugioka K, Matsumura Y, Takahashi S, Tada M, Mamoto K, Wakitani S, Koike T, Nakamura H.	High titer of anti-citrullinated peptide antibody is a risk factor for severe carotid atherosclerotic plaque in patients with rheumatoid arthritis -the TOMORROW study-	Int J Rheum Dis.	2017	in press	
Hayashi K, Toyoda H, Terai H, Suzuki A, Hoshino M, Tamai K, Ohyama S, Nakamura H.	Cervical lordotic alignment following posterior spinal fusion for adolescent idiopathic scoliosis: reciprocal changes and risk factors for malalignment	J Neurosurg Pediatr.	2017	19(4)	440-447

Tomihara T, Hashimoto Y, Taniuchi M, Takigami J, Han C, Shimada N.	One-stage revision ACL reconstruction after primary ACL double bundle reconstruction: is bone-patella tendon-bone autograft reliable?	Knee Surg Sports Traumatol Arthrosc.	2017	25(5)	1653-1661
Mamoto K, Inui K, Okano T, Sugioka Y, Tada M, Koike T, Nakamura H.	Incidence rate of falls and its risk factors in patients with rheumatoid arthritis compared to controls: Four years of the TOMORROW study.	Mod Rheumatol.	2017	27(1)	8-14
Okano T, Inui K, Tada M, Sugioka Y, Mamoto K, Wakitani S, Koike T, Nakamura H.	High frequency of vertebral fracture and low bone quality in patients with rheumatoid arthritis-Results from TOMORROW study.	Mod Rheumatol.	2017	27(3)	398-404
Okano T, Inui K, Tada M, Sugioka Y, Mamoto K, Wakitani S, Koike T, Nakamura H.	Loss of lean body mass affects low bone mineral density in patients with rheumatoid arthritis -results from the TOMORROW study-	Mod Rheumatol.	2017	in press	
Tada M, Inui K, Sugioka Y, Mamoto K, Okano T, Anno S, Koike T.	Use of bisphosphonate might be important to improve bone mineral density in patients with rheumatoid arthritis even under tight control: the TOMORROW study.	Rheumatol Int.	2017	37(6)	999-1005
Tamai K, Terai H, Suzuki A, Toyoda H, Hoshino M, Takahashi S, Hayashi K, Ohyama S, Nakamura H.	Anterior Cervical Discectomy and Fusion Provides Better Surgical Outcomes Than Posterior Laminoplasty in Elderly Patients With C3-4 Level Myelopathy.	Spine (Phila Pa 1976)	2017	42(8)	548-55
Hayashi K, Terai H, Toyoda H, Suzuki A, Hoshino M, Tamai K, Ohyama S, Nakamura H.	Incidence of Pleural Fluid and Its Associated Risk Factors After Posterior Spinal Fusion in Patients With Adolescent Idiopathic Scoliosis	Spine	2017	42(8)	603-609

Minoda Y, Hata K, Ikebuchi M, Mizokawa S, Ohta Y, Nakamura H. Comparison of in vivo polyethylene wear particles between mobile- and fixed-bearing TKA in the same patients. *Knee Surg Sports Traumatol Arthrosc.* 2017;25:2887-2893.

Minoda Y, Sugama R, Ohta Y, Nakamura H. Impingement of the patellar component against the tibial post after posterior stabilized and constrained TKA: a pilot study. *Arch Orthop Trauma Surg.* 2017;137:861-865.

Minoda Y, Yamamura K, Sugimoto K, Mizokawa S, Baba S, Nakamura H. Detection of bone defects around zirconium component after total knee arthroplasty. *Knee.* 2017;24:844-850.

Minoda Y, Hata K, Goto K, Itohara T, Nakamura H. Sequentially annealed highly cross-linked polyethylene reduced in vivo wear particle generation in total knee arthroplasty. *Journal of Orthopaedic Surg.* 2017;25:1-5.

Yamamura K, Minoda Y, Mizokawa S, Ohta Y, Sugama R, Nakamura S, Ueyama H, Nakamura H. Novel Alignment Measurement Technique for Total Knee Arthroplasty using Patient Specific Instrumentation. *Archives of Orthopaedic and Trauma Surgery.* 2017;137:401-407.

Nakamura S, Minoda Y, Nakagawa S, Kasoya Y, Kobayashi A, Takemura S, Mizokawa S, Ohta Y, Itokazu M, Yamamura K, Takahashi S, Nakamura H. Long-term clinical results of alumina medial pivot total knee arthroplasty: A concise follow-up at a minimum of ten years, from a previous report. *Knee.* 2017;24:434-438.

Ueyama H, Matsui Y, Minoda Y, Matsuura M, Hiroaki N. Using accelerometer-based portable navigation to perform accurate total knee arthroplasty bone resection in Asian patients. *Orthopedics.* 2017;40:e465-e472.

Iwakiri K, Ohta Y, Kobayashi A, Minoda Y, Nakamura H. Local Efficacy of Periarticular Morphine Injection in Simultaneous Bilateral Total Knee Arthroplasty: A Prospective, Randomized, Double-Blind Trial. *Journal of Arthroplasty* 2017;32:3637-3642.

Iwakiri K, Kobayashi A, Ohta Y, Minoda Y, Takaoka K, Nakamura H. Efficacy of a Pelvic Lateral Positioner With a Mechanical Cup Navigator Based on the Anatomical Pelvic Plane in Total Hip Arthroplasty. *Journal of Arthroplasty* 2017;32:3659-3664.

Ikawa T, Takemura S, Kim M, Takaoka K, Minoda Y, Kadoya Y. Usefulness of an accelerometer-based portable navigation system in total knee arthroplasty. *Bone and Joint Journal.* 2017;99-B:1047-1052.