

学会名	開催都市名	開催期間	年	題名
Annual meeting of Orthopaedic Research Society	Austin, TX	2/2-2/5	2019	Concentrations of serum cartilage oligomeric matrix protein before and after anterior cruciate ligament reconstruction.
American Academy of Orthopaedic Surgeons	Las Vegas	3/12-3/16	2019	Cost-Effectiveness of Balloon Kyphoplasty for Patients with Acute/ Subacute Osteoporotic Vertebral Fracture
				Treatment of Painful Neuroma by Nerve Capping Using Nerve Conduits in a Rat Model
				Comparison of in vivo wear particles between vitamin E-infused highly cross-linked polyethylene and conventional polyethylene in total knee arthroplasty
				Comparison of a vitamin E-infused HXLPE insert and a conventional polyethylene insert for primary total knee arthroplasty at two years postoperatively
Cervical Spine Research Society – Asia Pacific	Yokohama	3/14-3/16	2019	MRI characteristics of the patients with cervical SVA > 40mm –A propensity score matching analysis of 1,500 weight-bearing MR images
				Clinical outcome of upper cervical fusion for atlantoaxial subluxation –Comparison between different fixation methods
Federation of the Asian and Oceanian Physiological Societies Congress	Kobe	3/28-3/31	2019	Regular exercise suppresses obesity-associated HCC development
American Academy of Orthopaedic Surgeons	Korea	4/4-4/6	2019	The characteristics of radiological findings for revision surgery after balloon kyphoplasty
Osteoarthritis Research Society International (OARSI) 2019 World Congress	Toronto	5/2-5/5	2019	Cartilage health in the patellofemoral joint over 3-years after ACL reconstruction and their association with patient-reported outcomes
12th Biennial ISAKOS Congress Cancun/Mexico	Cancun, Mexico	5/12-5/16	2019	Risk Factors for Postoperative Osteochondritis Dissecans of the Lateral Femoral Condyle After Meniscal Surgery in Juvenile Patients with a Discoid Lateral Meniscus
				Clinical outcomes for osteochondritis dissecans of lateral femoral condyle in each shape of lateral meniscus
				Morphologic Examination of Quadriceps Tendon for Anterior Cruciate Ligament Reconstruction Using Living Knee
				The Characteristic Findings to Assess Meniscal Healing Status After Meniscal Repair on MRI-T2 Mapping
46th Annual Meeting of International Society for the Study of Lumbar Spine	Kyoto	6/3-6/7	2019	Clinical importance of trunk muscle mass for low back pain, spinal balance, and quality of life—a multicenter cross-sectional study.
				SIGNIFICANCE OF VITAMIN D IN LOW BACK PAIN IN THE ELDERLY
				Advanced Glycolysation End Products (AGEs) in Hypertrophied Ligamentum Flavum of Diabetes Mellitus and Non Diabetes Mellitus
				Factors related to low back pain among elderly population in suburban area Japan –The Shiraniwa Study–
				Prevention of nerve root thermal injury caused by bipolar cauterization near the nerve roots
				Aging Spine and Low Back Pain: Analysis of a Cohort Study
				Adjacent vertebral fracture after Balloon Kyphoplasty
				Cost-Effectiveness of Balloon Kyphoplasty for Patients with Acute/ Subacute Osteoporotic Vertebral Fracture

				Anterior reconstruction surgery for osteoporotic vertebral fractures
				Clinical Impact of Sarcopenia for the Outcomes of Minimally Invasive Lumbar Decompression Surgery
				The association of back muscle strength and sarcopenia-related parameters in the patients with spinal disorders
Annual European Congress of Rheumatology EULAR 2019	Madrid	6/12-6/15	2019	THE INCIDENCE AND RISK FACTOR OF NEW CAROTID PLAQUES AND THE PROGRESSION RATE OF CAROTID PLAQUES IN PATIENTS WITH RHEUMATOID ARTHRITIS IN 6 YEARS PROSPECTIVE CASE CONTROL STUDY. -TOMORROW STUDY
				THE LACK OF EXERCISE HABIT WAS A RISK FACTOR FOR CLINICAL FRACTURES IN PATIENTS WITH RHEUMATOID ARTHRITIS -TOMORROW STUDY
				Three-month radiological changes in wrist joint measured by MRI and HR-pQCT can predict 12-month changes in erosion and functional outcomes after MTX and anti-TNF treatment in patients with rheumatoid arthritis: a multi-modality imaging study
				MORTALITY RATE OF RHEUMATOID ARTHRITIS PATIENTS EVEN IN THE NEW ERA OF BIOLOGICS IS HIGHER THAN THE CONTROL GROUP: EIGHT YEARS OF THE TOMORROW STUDY
				COMPARATIVE ANALYSIS OF ESTIMATED BONE MASS AND BONE MINERAL DENSITY IN PATIENTS WITH RHEUMATOID ARTHRITIS FROM THE CHIKARA STUDY
				PREDICTION OF RECURRENCE AFTER DISCONTINUATION OF ADALIMUMAB BY USING ULTRASOUND ASSESSMENT -THE PROUD STUDY-
				PREVALENCE AND SEVERITY OF CLINICAL AND IMAGING AXIAL SPONDYLOARTHRITIS IN PATIENTS WITH INFLAMMATORY BOWEL DISEASE
				BY
				ULTRASOUND IN PATIENTS WITH RHEUMATOID ARTHRITIS: FROM THE CHIKARA STUDY
				RISK FACTORS FOR DEVELOPING SARCOPENIA IN PATIENTS WITH RHEUMATOID ARTHRITIS AT 2 YEARS: FROM THE CHIKARA STUDY
				DIFFERENCES OF LIFESTYLE HABITS OF SMOKING, DRINKING ALCOHOL AND CAFFEINATED COFFEE CONSUMPTION BETWEEN RHEUMATOID ARTHRITIS PATIENTS AND HEALTHY CONTROL - TOMORROW STUDY
10th World Society for Reconstructive Microsurgery	Italy/Bologna	6/12~6/15	2019	Pedicled digital artery perforator adipose flap for treatment of chronic digital osteomyelitis
International Federation of Societies for Surgery of the Hand (IFSSH)	Berlin, Germany	6/17-6/21	2019	Treatment of Painful Neuroma by Nerve Capping Using Nerve Conduits in a Rat Mode
				Investigation of nerve regeneration promoting factor in bioabsorbable nerve conduits coated with induced pluripotent stem cell-derived neurospheres
The Pacific and Asian Society of the Minimally Invasive Sp	Suzhou,China	8/8-8/10	2019	New screw insertion technique (CBT/ TASS) for minimum invasive L5/S PLIF
Annual Meeting of the American Society for Surgery of the Hand	Las Vegas	9/5-9/7	2019	Arthroscopic Hemitrapeziectomy with Suspensionplasty using a Half Slip of Extensor Carpi Radialis Longus Tendon for Treatment of Thumb Carpometacarpal Arthritis: Five-year follow-up.
				Second to fourth digit Ratio (2D:4D ratio) in dupuytren disease and carpal tunnel syndrome

International Society Of Limb Salvage	Athens	9/11-9/14	2019	Clinical course of soft tissue sarcomas presenting as malignant wounds
				Radiological assessment for pathogenesis of solitary bone cyst in calcaneus
				Diagnostic value of tumor-fascia relationship in superficial soft tissue masses on magnetic resonance imaging
				What is the best shape of a drilled hole in treatment of bone tumor?
				Management of malignant peripheral nerve sheath tumors: Prognostic factors and survival in a series of patients treated at a single institution.
				An investigation of multiple primary cancers in patients with bone and soft tissue malignancies
				An investigation on temperature of soft tissue tumor
A single-institution retrospective study : Clinical outcome of pazopanib for the treatment of soft-tissue sarcomas.				
North America Spine Society	Chicago	9/24-9/27	2019	The residual arm numbness after laminoplasty for the patients with cervical spondylotic myelopathy
57° Congresso Nazionale SICM Joint Session SICM/ ISSU	Florence	10/10-10/12	2019	Treatment of Painful Neuroma by Nerve Capping Using Nerve Conduits in a Rat Mode
EUROSPINE 2019	Helsinki	10/16-10/18	2019	The severity of Cervical Disc Degeneration does not impact on the improvement after laminoplasty for the patient with cervical spondylotic myelopathy.
The Hong Kong Orthopaedic Association	Hong Kong	11/2-11/3	2019	Treatment Strategy for Osteoporotic Vertebral Fractures based on MRI Studies
ACR 2019	Atlanta	11/8-11/13	2019	Ixekizumab Significantly Improves Self-reported Overall Health as Measured by Short-Form-36 in Patients with Active Non-radiographic Axial Spondyloarthritis: 16- and 52-Week Results of a Phase 3 Randomized Trial (COAST-X)
The 11th Asia-Pacific Organization of Knee Arthroplasty	Fukuoka	11/21-11/22	2019	Alumina medila pivot prosthesis
Cold Spring Harbor Asia Conference Liver,Biology, Diseases & Cancer	Awaji	12/9-12/12	2019	Regular exercise suppresses obesity-associated HCC development