

著者名	題名	雑誌名	年	巻(号)	ページ
Tian H, Du J, Wen J, Liu Y, Montgomery SR, Scott TP, Aghdasi B, Xiong C, Suzuki A, Hayashi T, Ruangchainikom M, Phan K, Weintraub G, Raed A, Murray SS, Daubs MD, Yang X, Yuan XB, Wang JC, Lu Y.	Growth-Factor Nanocapsules That Enable Tunable Controlled Release for Bone Regeneration.	ACS Nano	2016	10(8)	7362-9
Minoda Y, Ikebuchi M, Mizokawa S, Ohta Y, Nakamura H.	Mobile-bearing TKA improved the anteroposterior joint stability in mid-flexion range comparing to fixed-bearing TKA.	Arch Orthop Trauma Surg.	2016	136	1601-1606
Matsumoto T, Toyoda H, Terai H, Dohzono S, Hori Y, Nakamura H	Usefulness of Discography as a Preoperative Diagnostic Tool for Intradural Lumbar Disc Herniation: A Case Report	Asian Spine Journal	2016	10(4)	771-5
Ichikawa K, Ohta Y, Mamoto K, Mizokawa S, Minoda Y, Imai Y, Takaoka K, Nakamura H.	Local co-application of zoledronate promotes long-term maintenance of newly formed bone induced by recombinant human bone morphogenetic protein-2.	Biochem Biophys Res Commun.	2016	480	314-320
Tada M, Inui K, Sugioka Y, Mamoto K, Okano T, Kinoshita T, Hidaka N, Koike T.	Delayed wound healing and postoperative surgical site infections in patients with rheumatoid arthritis treated with or without biological disease-modifying antirheumatic drugs.	Clin Rheumatol.	2016	35(6)	1475-81
Hayashi T, Daubs MD, Suzuki A, Scott TP, Phan K, Aghdasi B, Ruangchainikom M, Hu X, Lee C, Takahashi S, Shiba K, Wang JC.	The Compensatory Relationship of Upper and Subaxial Cervical Motion in the Presence of Cervical Spondylosis.	Clin Spine Surg.	2016	29(4)	E196-200
Yamada K, Terai H, Matsumoto T, Okabe T, Suzuki A, Toyoda H, Nakamura H.	Effect of Spinal Fixation in Rabbits with Metastatic Tumor Using a Novel Spinal Fusion Model.	Clin Spine Surg.	2016	29(4)	E215-21
Takahashi S, Lord EL, Hayashi T, Cohen JR, Lao L, Yao Q, Suzuki A, Nakamura H, Wang JC.	Radiologic Factors Associated With the Dynamic Change of Dural Sac Diameter in Lumbar Spine: A Kinematic MRI Study.	Clin Spine Surg.	2016	In press	
Takahashi S, Buser Z, Cohen JR, Roe A, Myhre SL, Meisel HJ, Brodke DS, Yoon ST, Park JB, Wang JC, Youssef JA.	Complications Related to the Recombinant Human Bone Morphogenetic Protein 2 Use in Posterior Cervical Fusion.	Clin Spine Surg.	2016	In press	
Xiong C, Daubs MD, Scott TP, Phan KH, Suzuki A, Ruangchainikom M, Roe AK, Aghdasi B, Tan Y, Wang JC.	Dynamic Evaluation of the Cervical Spine and the Spinal Cord of Symptomatic Patients Using a Kinetic Magnetic Resonance Imaging Technique.	Clin Spine Surg.	2016	In press	
Hoshi M, Oebisu N, Ieguchi M, Ban Y, Takami M, Nakamura H.	Clinical features of soft tissue sarcoma presenting intra-tumour haematoma: case series and review of the literature.	Int Orthop.	2016	In press	

Shintani K, Kazuki K, Takamatsu K, Yoneda M, Uemura T.	Limited Wrist Arthrodesis for Scapholunate Advanced Collapse Wrist: Triangle Fixation for Four-Corner Fusion.	J Hand Surg Asian Pac Vol.	2016	21(2)	207-11
Hidaka N, Uemura T, Nakamura H.	Successful conservative treatment outcomes and clinical characteristics of congenital hypoplasia of the extensor tendon central slip.	J Hand Surg Eur Vol.	2016	7-Nov	
Dohzono S, Toyoda H, Takahashi S, Matsumoto T, Suzuki A, Terai H, Nakamura H.	Factors associated with improvement in sagittal spinal alignment after microendoscopic laminotomy in patients with lumbar spinal canal stenosis.	J Neurosurg Spine.	2016	25(1)	39-45
Hayashi T, Lord EL, Suzuki A, Takahashi S, Scott TP, Phan K, Tian H, Daubs MD, Shiba K, Wang JC.	A comparison of commercially available demineralized bone matrices with and without human mesenchymal stem cells in a rodent spinal fusion model.	J Neurosurg Spine.	2016	25(1)	133-7
Dohzono S, Suzuki A, Koike T, Takahashi S, Yamada K, Yasuda H, Nakamura H.	Factors associated with retro-odontoid soft-tissue thickness in rheumatoid arthritis.	J Neurosurg Spine.	2016	25(5)	580-5
Hori Y, Seki M, Tsujio T, Hoshino M, Mandai K, Nakamura H	Intradural chondroma in the cervical spine: case report.	J Neurosurg Spine.	2016	In press	
Gutierrez M, Di Matteo A, Rosemffet M, Cazenave T, Rodriguez-Gil G, Diaz CH, Rios LV, Zamora N, Guzman Mdel C, Carrillo I, Okano T, Salaffi F, Pineda C; Pan-American League against Rheumatisms (PANLAR) Ultrasound Study Group..	Short-term efficacy to conventional blind injection versus ultrasound-guided injection of local corticosteroids in tenosynovitis in patients with inflammatory chronic arthritis: A randomized comparative study.	Joint Bone Spine.	2016	83(2)	161-6
Minoda Y, Hata K, Goto K, Itohara T, Nakamura H.	Sequentially annealed highly cross-linked polyethylene reduced in vivo wear particle generation in total knee arthroplasty.	J of Orthop Surg.		in press	
Onode E, Takamatsu K, Shintani K, Yokoi T, Uemura T, Okada M, Kazuki K, Nakamura H.	Anatomical Origins of Radial Artery Perforators Evaluated Using Color Doppler Ultrasonography.	Journal of Reconstructive Microsurgery	2016	32(8)	594-598
Ueyama H, Ito Y, Manaka T, Matsumoto I, Ichikawa K, Nakamura H.	Arthroscopic treatment of an osteoid osteoma at the base of the coracoid process: A case report.	J Orthop Sci.	2016	21(2)	245-9
Matsui Y, Shintani K, Okajima Y, Matsuura M, Nakagawa S.	The effect of tourniquets on patellofemoral joint congruity during total knee arthroplasty.	J Orthop Sci.	2016	21(5)	630-4
Akhgar J, Terai H, Rahmani MS, Tamai K, Suzuki A, Toyoda H, Hoshino M, Ikebuchi M, Ahmadi SA, Hayashi K, Nakamura H.	Anatomical analysis of the relation between human ligamentum flavum and posterior spinal bony prominence.	J Orthop Sci.	2016	In press	

Shintani K, Takamatsu K, Uemura T, Onode E, Okada M, Kazuki K, Nakamura H.	Planning digital artery perforators using color Doppler ultrasonography: A preliminary report.	J Plast Reconstr Aesthet Surg.	2016	69(5)	634-9
Itokazu M, Minoda Y, Ikebuchi M, Mizokawa S, Ohta Y, Nakamura H.	Anatomical landmarks of the distal femoral condyles are not always parallel to the tibial bone cut surface in flexion during total knee arthroplasty.	Knee	2016	23	725-729
Minoda Y, Hata K, Ikebuchi M, Mizokawa S, Ohta Y, Nakamura H.	Comparison of <i>in vivo</i> polyethylene wear particles between mobile- and fixed-bearing TKA in the same patients.	Knee		in press	
Minoda Y, Mizokawa S, Ohta Y, Ikebuchi M, Itokazu M, Yamamura K, Nakamura S, Nakamura H.	Posterior reference guides do not always maintain the size of posterior femoral condyles in TKA.	Knee Surg Sports Traumatol Arthrosc.	2016	24	2489-2495
Minoda Y, Nakagawa S, Sugama R, Ikawa T, Noguchi T, Hirakawa M, Matsui Y, Nakamura H.	Decreased extension gap and valgus alignment after implantation of total knee prosthesis in primary varus knees.	Knee Surg Sports Traumatol Arthrosc.	2016	24	3642-3647
Hoshi M, Takada J, Oebisu N, Ieguchi M, Iwai T, Kamo R, Motomura H, Nakamura H.	Successful pre-operative local control of skin exposure by a sarcoma using a combination of systemic chemotherapy and Mohs' chemosurgery	Mol Clin Oncol	2016	In press	
Mamoto K, Inui K, Okano T, Sugioka Y, Tada M, Koike T, Nakamura H.	Incidence rate of falls and its risk factors in patients with rheumatoid arthritis compared to controls: Four years of the TOMORROW study.	Mod Rheumatol	2016	May 4:1-7	
Okano T, Inui K, Tada M, Sugioka Y, Mamoto K, Wakitani S, Koike T, Nakamura H.	High frequency of vertebral fracture and low bone quality in patients with rheumatoid arthritis-Results from TOMORROW study.	Mod Rheumatol	2016	Aug 2:1-7	
Ikeda M, Okada M, Toyama M, Uemura T, Takamatsu K, Nakamura H.	Comparison of Median Nerve Cross-sectional Area on 3-T MRI in Patients With Carpal Tunnel Syndrome.	Orthopedics.	2016	Sep 19:	
Matsui Y, <u>Minoda Y</u> , Fumiaki I, Nakagawa S, Okajima Y, Kobayashi A.	Intraoperative manipulation for flexion contracture during total knee arthroplasty.	Orthopedics	2016	25	1月5日
Tada M, Inui K, Sugioka Y, Mamoto K, Okano T, Koike T, Nakamura H.	Reducing glucocorticoid dosage improves serum osteocalcin in patients with rheumatoid arthritis-results from the TOMORROW study.	Osteoporos Int.	2016	27(2)	729-35
Takahashi S, Hoshino M, Takayama K, Iseki K, Sasaoka R, Tsujio T, Yasuda H, Sasaki T, Kanematsu F, Kono H, Toyoda H, Nakamura H.	Time course of osteoporotic vertebral fractures by magnetic resonance imaging using a simple classification: a multicenter prospective cohort study.	Osteoporos Int.	2016	In press	

Takahashi S, Hoshino M, Takayama K, Iseki K, Sasaoka R, Tsujio T, Yasuda H, Sasaki T, Kanematsu F, Kono H, Toyoda H, Nakamura H.	Predicting delayed union in osteoporotic vertebral fractures with consecutive magnetic resonance imaging in the acute phase: a multicenter cohort study.	Osteoporos Int.	2016	In press	
Okano T, Filippucci E, Di Carlo M, Draghessi A, Carotti M, Salaffi F, Wright G, Grassi W.	Ultrasonographic evaluation of joint damage in knee osteoarthritis: feature-specific comparisons with conventional radiography.	Rheumatology (Oxford).	2016	55(11)	2040-9
Okano T, Inui K, Tada M, Sugioka Y, Mamoto K, Wakitani S, Koike T, Nakamura H.	Levels of interleukin-1 beta can predict response to tocilizumab therapy in rheumatoid arthritis: the PETITE (predictors of effectiveness of tocilizumab therapy) study.	Rheumatol Int.	2016	36(3)	349-57
Suzuki A, Tamai K, Terai H, Hoshino M, Toyoda H, Takahashi S, Hayashi K, Ohyama S, Nakamura H.	Clinical Outcome of Cervical Laminoplasty and Postoperative Radiological Change for Cervical Myelopathy With Degenerative Spondylolisthesis.	Spine	2016	41(23)	1808-12
Tamai K, Suzuki A, Terai H, Toyoda H, Hoshino M, Nakamura H.	Laminar closure after expansive open-door laminoplasty: fixation methods and cervical alignments impact on the laminar closure and surgical outcomes.	Spine J.	2016	16(9)	1062-9
Yamasaki S, Hashimoto S, Takigami J, Nakamura H.	Risk Factors Associated With Knee Joint Degeneration After Arthroscopic Reshaping for Juvenile Discoid Lateral Meniscus	The American Journal of Sports Medicine	2016	October	
Inui K, Koike T.	Combination therapy with biologic agents in rheumatic diseases: current and future prospects	Ther Adv Musculoskel Dis	2016	8(5)	192-202

Matsui Y, Minoda Y, Fumiaki I, Nakagawa S, Okajima Y, Kobayashi A. Intraoperative manipulation for flexion contracture during total knee arthroplasty. Orthopedics. 2016;25:1-5.